AGENDA FOR TH	IE REGULAR BOAR	D MEETING
---------------	-----------------	-----------

OF THE LINDA COUNTY WATER DISTRICT

1280 Scales Avenue Marysville, CA			C	0ctober 11, 2021 6:00 p.m.	
The public may add item.	lress the Board on e	ach agenda item c	luring the Board's consider	ation of the	
PLEDGE OF ALLEGIANCE					
ROLL CALL					
APPROVAL OF MINUTES		Motion	sec		
APPROVAL OF FINANCIAL	REPORT	Motion	sec		
REPORT OF COMMUNICA	TIONS OF INTEREST	TO BOARD; NO I	DISCUSSION OR ACTION A	NTICIPATED	
MANAGERS REPORT	Report concerning District business and water and sewer service operations and issues;				
ENGINEERS REPORT	Status report and discussion of various water and sewer projects in the District				
UNFINISHED BUSINESS	1. Consideration/Ac	doption of Workplac	ce Violence Prevention Policy		
DISTRICT BUSINESS	 Approval of Award and Contract execution to TSI Engineering, Inc. of North Highlands, CA, for the LCWD WWTP Equalization and Sludge Storage Basin Project. TSI Engineering provided the lowest responsible bid of \$4,389,786.00. 				
	Management and	d Engineering Serv	enks Consultants for Construction for to construction for to to a construction for to a construction for the const		
	Feather River Bl \$975,000 and ad	vd Pipeline Project Iding \$280,000 to V	ict's Adopted Budget for FY 2 to the Adopted Budget for the Vater Income in the District's Feather River Blvd Pipeline P	e amount of Adopted Budget	
	5. Resolution 695 E deemed surplus.	•	5 acres of property at the We	ell 15 site to be	
OPPORTUNITY FOR PUBL	IC COMMENT ON NO	ON-AGENDA ITEM	S		
APPROVAL OF CLAIMS	Motion		sec		
BOARD GENERAL DISCUS	Opportunity for direct	request staff to repo	ns for clarification, provide ort back on a matter, or equent agenda		

ADJOURNMENT

In compliance with the Americans with Disabilities Act, if you are a disabled person and you need a disability-related modification or accommodation to participate in this meeting, then please contact Melinda Thornsberry at (530) 743-2043 or (530) 743-6858 (fax). Requests must be made as early as possible, and at least one-full business day before the start of the meeting.